

15

HOVEDFORFATTERE

Arbeidet med denne rapporten har skjedd i et fellesskap og gjennom en lang rekke møter på Havforskningsinstituttet og i telefonsamtaler og e-post utveksling med Norsk Polarinstitutt, hvor de forskjellige bidragene er drøftet. Det er allikevel slik at enkeltpersoner har hatt hovedansvar for sammenfatningen i de enkelte kapitler. For å synliggjøre dette har vi derfor valgt å knytte hovedforfatterene til kapitlene slik dette framgår av listen nedenunder.

Sammendrag: Lars Føyn

Innledning: Lars Føyn og Cecilie H. von Quillfeldt

Marine naturtyper: Cecilie H. von Quillfeldt

Oseanografiske forhold: Harald Loeng og Cecilie H. von Quillfeldt

Primærproduksjonen: Francisco Rey

Dyreplankton: Arne Hassel

Issamfunn: Cecilie H. von Quillfeldt

Egg, larver, yngel og 0-gruppe: Petter Fossum

Fiskebestandene: Are Dommasnes

Sjøpattedyr: Mette Mauritzen og Cecilie H. von Quillfeldt

Bunnfauna: Jan helge Fosså og Cecilie H. von Quillfeldt

Sjøfugl: Hallvard Strøm

Modellering: Bjørn Ådlandsvik

Marine kulturminner: Susan Barr

Miljøutfordringer: Jarle Klungsøyr og Cecilie H. von Quillfeldt

- AKUP 1994. Statusrapport 1993. Arbeidsgruppen for konsekvensutredninger av petroleumsvirksomhet. Nærings- og energidepartementet, Oslo.
- AMAP 1997. Arctic pollution issues: A state of the Arctic Environment Report. AMAP, Oslo, 188 pp.
- AMAP 1998. AMAP Assessment Report: Arctic Pollution Issues. Arctic Monitoring and Assessment Programme (AMAP), Oslo, xxi + 859 pp.
- Anker-Nilssen, T. 1987. Metoder til konsekvensanalyser olje/sjøfugl. Viltrapp 44. Direktoratet for naturforvaltning, Trondheim.
- Anker-Nilssen, T., Bakken, V. and Strann, K.B. 1988. Konsekvensanalyse olje/sjøfugl ved petroleumsvirksomhet i Barentshavet sør for 74°30'N. Viltrapp 46. Direktoratet for naturforvaltning, Trondheim.
- Anker-Nilssen, T., Bakken, V., Strøm, H., Golovkin, A.N., Bianki, V.V. and Tatarinkova, I. P. (eds.) 2000. The status of marine birds breeding in the Barents Sea region. Norsk Polarinstitutt Rapportserie no. 113, 213 pp.
- Anthony, R.M., Barten, N.L. and Seiser, P.E. 2000. Food of arctic foxes (*Alopex lagopus*) during winter and spring in western Alaska. J. Mammal. 81: 820–828.
- Bakken, V. 2000. Seabird colony databases of the Barents Sea region and the Kara Sea. Norsk Polarinstitutt Rapportserie no. 115, 78 pp.
- Bakken, V. and Mehlum, F. 1988. AKUP – Sluttrapport, Sjøfuglundersøkelser nord for N 74°/Bjørnøya. Norsk Polarinstitutt Rapportserie no. 44, 179 pp.
- Barrett, R.T., Anker-Nilssen, T., Gabrielsen, G. and Chapdelaine, G. 2001. Food consumption by seabirds in Norwegian waters. ICES J. Mar. Sci. 58: 1–15.
- Barrett, R.T. and Krasnov, Y.V. 1996. Recent responses to changes in stocks of prey species by seabirds breeding in the southern Barents Sea. ICES J. Mar. Sci. 53: 713–722.
- Berntsen, J., Skagen, D.W. and Svendsen, E. 1994. Modelling the transport of particles in the North Sea with reference to sandeel larvae. Fish. Oceanogr. 3: 81–91.
- Bjørge, A. 1993. The harbour seal, *Phoca vitulina* L., in Norway and the role of science in management. PhD thesis, Department of Fisheries and Marine Biology, University of Bergen, Norway.
- Bjørge, A. and Øien, N. 1995. Distribution and abundance of harbour porpoise, *Phocoena phocoena*, in Norwegian waters. International Whaling Commission Report, Special Issue 16.
- Bjørge, A. and Øien, N. 1999. Statusrapport for Havforskningsinstituttets overvåkning av kystsel. Havforskningsinstituttet Rapport SPS-9904.
- Bjørke, H., Blindheim, J. and Melle, W. 1999. Hydrographical conditions and vertical distribution of plankton and nekton in the eastern Norwegian Sea. Fisker og havet, nr. 2–1999: 1–30.
- Blacker, R.W. 1965. Recent changes in the benthos of the west Spitsbergen fishing grounds. ICNAF Spec. Publ. 6: 791–794.
- Blindheim, J. 1989. Cascading of Barents Sea bottom water into the Norwegian Sea. Rapp. P.-V. Reun. Cons. Int. Explor. Mer. 188: 49–58.
- Borgå, K. 2002. Organochlorine contaminants in Arctic marine food webs: distribution in pelagic and sympagic fauna. PhD thesis, University of Tromsø and Norwegian Polar Institute, Norway.
- Born, E.W. and Böcher, J. (eds.) 2001. The ecology of Greenland. Ilinnisiorfik, Nuuk (Greenland), 429 pp.
- Brattegard, T. and Holthe, T. (eds.) 1995. Kartlegging av egnede marine verneområder i Norge. Tilråding fra rådgivende utvalg. Utredning for DN 1995–3. Direktoratet for naturforvaltning, 179 pp.
- Båmstedt, U., Eilertsen, H.C., Tande, K.S., Slagstad, D. and Skjoldal, H.R. 1991. Copepod grazing and its potential impact on the phytoplankton development in the Barents Sea. Pp.339–353 in Sakshaug, E., Hopkins, C.C.E. and Øritsland, N.A. (eds.) Proceedings of the Pro Mare Symposium on Polar Marine Ecology, Trondheim, 12–16 May 1990. Polar Res. 10(1).
- Carsten, J. and Wefer, G. 1992. Recent distribution of planktonic foraminifera in the Nansen Basin, Arctic Ocean. Deep-Sea Res. 39(Suppl.2): 507–524.
- Christensen, I., Haug, T. and Øien, N. 1992. A review of feeding and reproduction in large baleen whales (Mysticeti) and sperm whales (*Physeter macrocephalus*) in Norwegian and adjacent waters. Fauna Norvegica Serie A 13: 39–48.
- Dalpadado, P., Borkner, N. and Skjoldal, H.R. 1994. Distribution and life history of *Themisto* (Amphipoda) spp., north of 73 °N in the Barents Sea. Fisker og havet, nr. 12–1994. Havforskningsinstituttet, Bergen, 42 pp.
- Dalpadado, P., Ellertsen, B., Melle, W. and Skjoldal, H.R. 1998. Summer distribution patterns and biomass estimates of macrozooplankton and micronekton in the Nordic Seas. Sarsia 83: 103–116.
- Dalpadado, P. and Skjoldal, H.R. 1991. Distribution and life history of krill from the Barents Sea. Pp. 443–460 in Sakshaug, E., Hopkins, C.C.E. and Øritsland, N.A. (eds.) Proceedings of the Pro Mare Symposium on Polar Marine Ecology, Trondheim, 12–16 May 1990. Polar Res. 10(2).
- Dalpadado, P. and Skjoldal, H.R. 1996. Abundance, maturity and growth of the krill species *Thysanoessa inermis* and *T. longicaudata* in the Barents Sea. Mar. Ecol. Prog. Ser. 144: 175–183.
- Drobysheva, S.S., Nesvetova, G.I., Nesterova, V.N., Ryshov, V.M. and Chepurnov, A.N. 1988. Division of the Barents Sea in view of primary and plankton production formation type. ICES C.M. /L7, 20 pp.
- Drobysheva, S.S. and Panasenko, L.D. 1984. On consumption on the Barents Sea euphausiids. ICES C.M./L7: 1–12.
- Dunbar, M.J. 1964. Serial atlas of the marine environment. Folio 6. Euphausiids and pelagic amphipods. American Geographical Society, New York: 1–2. 8 plates.
- Eide, L.I., Reistad, M. and Guddal, J. 1985. Database av beregnede vind og bølgeparametre for Nordsjøen, Norskehavet og Barentshavet, hver 6. time for årene 1955–81. Tech. rept. The Norwegian Meteorological Institute.
- Eilertsen, H.C., Taasen, J.P. and Weslawski, J.M. 1989a. Phytoplankton studies in the fjords of west Spitzbergen: physical environment and production in spring and summer. J. Plankton Res. 11: 1245–1260.
- Eilertsen, H.C., Tande, K.S. and Hegseth, E.N. 1989b. The potential of herbivorous copepods for regulating the spring phytoplankton bloom in the Barents Sea. Rapp. P.-V. Reun. Cons. Perm. Int. Explor. Mer. 188: 154–163.
- Eilertsen, H.C., Tande, K.S. and Taasen, J.P. 1989c. Vertical distribution of primary production and grazing by *Calanus glacialis* (Jaschnov) and *C. hyperboreus* (Krøyer) in Arctic Waters (Barents Sea). Polar Biol. 9: 253–260.
- Engedahl, H., Ådlandsvik, B. and Martinsen, E.A. 1998. Production of monthly climatological archives for the Nordic Seas. J. Mar. Syst. 14: 1–26.

- Eriksrød, G. and Ådlandsvik, B. 1997. Simulation of drift of capelin larvae in the Barents Sea. *Fisken og havet* nr. 9–1997, 31 pp.
- Estep, K.W., Nejtgaard, J.C., Skjoldal, H.R. and Rey, F. 1990. Predation by copepods upon natural populations of *Phaeocystis pouchetii* as a function of the physiological stage of the prey. *Mar. Ecol. Prog. Ser.* 67: 235–249.
- Falk-Petersen, S., Hagen, W., Kattner, G., Clarke, A. and Sargent, J. 2000a. Lipids, trophic relationships, and biodiversity in Arctic and Antarctic krill. *Can. J. Fish. Aquat. Sci.* 57(Suppl. 3): 178–191.
- Falk-Petersen, S., Hop, H., Budgell, W.P., Hegseth, E.N., Korsnes, R., Løyning, T.B., Ørbæk, J.B., Kawamura, T. and Shirasawa, K. 2000b. Physical and ecological processes in the Marginal Ice Zone of the northern Barents Sea during the summer melt periods. *J. Mar. Syst.* 27: 131–159.
- Falk-Petersen, S., Hopkins, C.C.E. and Sargent, J.R. 1990. Trophic relationships in the pelagic, Arctic food web. In *Proc. 24th Europ. Mar. Biol. Symp.* 1990: 315–333.
- Fjeld, P.E. and Bakken, V. (eds.) 1993. Sårbarhets- og verneverdianalyse for sjøfugl i forbindelse med leteboring etter olje/gass i Barentshavet Nord. Forslag til supplerende undersøkelser. Norsk Polarinstittutt Meddelelser no. 123, 67 pp.
- Fogg, G.E. (ed.) 1998. *The biology of polar habitats.* Oxford University Press, Oxford, 263 pp.
- Fosså, J.H. (ed.) 2001. *Havets miljø 2001. Fisken og havet, særnr. 2–2001,* 118 pp.
- Fosså, J.H. and Mortensen, P.B. 1998. Artsmangfoldet på *Lophelia*-korallrev og metoder for kartlegging og overvåking. *Fisken og havet* nr. 17–1998, 95 pp.
- Fosså, J.H., Mortensen, P.B. and Furevik, D.M. 2000. *Lophelia*-korallrev langs norskekysten. Forekomst og tilstand. *Fisken og havet* nr. 2–2000, 94 pp.
- Fosså, J.H., Mortensen, P.B. and Furevik, D.M. 2002. The deep-water coral *Lophelia pertusa* in Norwegian waters; distribution and fishery impacts. *Hydrobiologia* 417: 1–12.
- Frafjord, K. 1993. Food habitats of arctic foxes (*Alopex lagopus*) on the Western coast of Svalbard. *Arctic* 46(1): 49–54.
- Gjertz, I., Kovacs, K.M., Lydersen, C. and Wiig, Ø. 2000. Movements and diving of bearded seal (*Erignathus barbatus*) mothers and pups during lactation and post-weaning. *Polar Biol.* 23: 559–566.
- Golovkin, A. and Bakken, V. 1997. Seabird Bibliography 1773–1994 – Northwest region of Russia. Norsk Polarinstittutt Meddelelser no. 152, 94 s.
- Gulliksen, B., Holte, B. and Jakola, K.-J. 1985. The soft bottom fauna in Van Mijenfjord and Raudfjord, Svalbard. Pp. 199–215 in Gray, J.S. and Christensen, M. (eds.) *Marine biology of polar regions and effects of stress on marine organisms. Proceedings of the 18th European Marine Biology Symposium, University of Oslo, Norway, 14–20 August 1983.* John Wiley & Sons Ltd., Chichester.
- Gulliksen, B., Palerud, R., Brattegard, T. and Sneli, J. (eds.) 1999. Distribution of marine benthic macro-organisms at Svalbard (including Bear Island) and Jan Mayen. Directorate for Nature Management, Research Report for DN 1994–4, 148 pp.
- Hansen, J.R., Hansson, R. and Norris, S. (eds.) 1996. The state of the European Arctic Environment. EEA Environmental Monograph No. 3 (Also published as Norsk Polarinstittutt Meddelelser no. 141), 136 pp.
- Hansen, J.R. and Jenneborg, L.H. 1996. Part. 7. Benthic marine algae and cyanobacteria. Pp. 361–374 in Elvebakk, A. and Prestrud, P. (eds.): *A catalogue of Svalbard plants, fungi, algae and cyanobacteria.* Norsk Polarinstittutt Skrifter no. 198.
- Hansen, R. and Ådlandsvik, B. 1996. Application of a hydrodynamical model on transport of larvae of polar cod in the northern Barents Sea. *Fisken og havet* nr. 27–1996, 64 pp.
- Hasle, G.R. 1990. Arctic plankton diatoms: dominant species, biogeography. Pp. 53–56 in Medlin, L.K. and Priddle, J. (eds.) *Polar Marine Diatoms.* British Antarctic Survey, Cambridge, 214 pp.
- Hasle, G.R. and Heimdal, B.R. 1998. The net phytoplankton in Kongsfjorden, Svalbard, July 1988, with general remarks on species composition of arctic phytoplankton. *Polar Res.* 17(1): 31–52.
- Hassel, A., Johannessen, M., Bakkeplass, K., Bratland, P., Endresen, B., Erices, J., Hagebø, M., Johannessen, S.E., Seglem, K. and Strømstad, J. 1993. Planktonundersøkelsene i Barentshavet 1992. Datarapport. Internotat, nr. 1–1993. Havforskningsinstituttet, Bergen, 99 pp.
- Hassel, A., Johannessen, M., Bakkeplass, K., Hagebø, M., Erices, J., Lygren, S., Gjertsen, K., Johannessen, S.E. and Strømstad, J. 2001. Planktonundersøkelsene i Barentshavet 1999. Datarapport. Interne Notat, nr. 02–2001. Havforskningsinstituttet, Bergen, 80 pp.
- Hassel, A., Johannessen, M., Bakkeplass, K., Hagebø, M., Erices, J., Lygren, S. and Strømstad, J. 1995. Planktonundersøkelsene i Barentshavet 1994. Datarapport. Interne Notat, nr. 6–1995. Havforskningsinstituttet, Bergen, 153 pp.
- Hassel, A. and Melle, W. 1999. Plankton som råstoffkilde for fremstilling av føremidler til bruk innen fiskeoppdrett. Interne Notat, nr. 3–1999. Havforskningsinstituttet, Bergen, 30 pp.
- Holme, J. (ed.) 2001. *Kulturminnevern. Bd I og II. Økokrim.*
- Holte, B. and Gulliksen, B. 1998. Common macrofaunal dominant species in the sediments of some north Norwegian and Svalbard glacial fjords. *Polar Biol.* 19: 375–382.
- Hop, H., Hansen, J.R. and Hubert-Hansen, J.-P. (eds.) 1998. Overvåking av biologisk mangfold i norsk Arktis. Norsk Polarinstittutt Meddelelser no. 158, 67 pp.
- Horner, R.A. (ed.) 1985. *Sea ice biota.* CRC Press, Florida, 215 pp.
- Horner, R., Ackley, S.F., Dieckmann, G.S., Gulliksen, B., Hoshiai, T., Melnikov, I.A., Reeburgh, W.S., Spindler, M. and Sullivan, C.W. 1992. Ecology of sea ice biota. 1. Habitat and terminology. *Polar Biol.* 12: 417–427.
- Hovland, M. and Mortensen, P.B. 1999. *Norske korallrev og prosesser i havbunnen.* John Grieg forlag, Bergen, 155 pp.
- Husebø, Å., Nøttestad, L., Fosså, J.H., Furevik, D.M. and Jørgensen, S.B. 2002. Distribution and abundance of fish in deep-sea coral habitats. *Hydrobiologia* 417: 1–12.
- Hønneland, G., Jørgensen, A.-K. and Kovacs, K. 1999. Barents Sea Ecoregion. Reconnaissance Report. WWF (World Wide Fund for Nature), 118 pp.
- Ingebrigtsen, A. 1929. Whales caught in the North Atlantic and other seas. *Rapp. P.-v. Réun., Cons. Int. Explor. Mer.* LVI: 1–26.
- Ingvaldsen, R., Loeng, H. and Asplin, L. 2002. Variability in the Atlantic inflow to the Barents Sea based on a one-year time series from moored current meters. *Continental Shelf Research*, 22(2002): 505–519.
- Isaksen, K. and Bakken, V. (eds.) 1995. *Seabird Populations in the Northern Barents Sea. Source data for the impact assessment of the effects of oil drilling activity.* Norsk Polarinstittutt Meddelelser no. 135, 134 pp.
- Isaksen, K., Bakken, V. and Wiig, Ø. 1998. Potential effects on seabirds and marine mammals of petroleum activity in the northern Barents Sea. Norsk Polarinstittutt Meddelelser no. 154, 66 pp.
- Isaksen, K. and Wiig, Ø. (eds.) 1995. Conservation value assessment and distribution of selected marine mammals in the northern Barents Sea. Norsk Polarinstittutt Meddelelser no. 136, 55 pp.

- Iversen, S.A. (ed.) 2001. Havets ressurser 2001. Fisken og havet særnr. 1–2001, 153 pp.
- Jefferson, T., Leatherwood, S. and Webber, M.A. (eds.) 1994. Marine mammals of the world. FAO species identification guide. Rome: FAO and UNEP, 320 pp.
- Jonggård, Å. 1966. The distribution of *Balaenoptera* in the North Atlantic Ocean. Pp. 114–124 in Norris, K.S (ed) Whales, dolphins and porpoises. University of California Press, Berkeley, California.
- Jørgensen, L.L. and Gulliksen, B. 2001. Rocky bottom fauna in arctic Kongsfjord (Svalbard) studied by means of suction sampling and photography. *Polar Biol.* 24: 113–121.
- Kamshilov, M.M. 1961. Some long-term changes in the fauna and biological productivity of the Barents Sea and their causes. *Int. Revue ges. Hydrobiol.* 46: 282–287.
- Kristiansen, S. and Farbro, T. 1991. Nitrogen uptake rates in the phytoplankton and in the ice algae in the Barents Sea. Pp. 187–192 in Sakshaug, E., Hopkins, C.C.E. and Øritsland, N.A. (eds.) Proceedings of the Pro Mare Symposium on Polar Marine Ecology, Trondheim, 12–16 May 1990. *Polar Res.* 10(1).
- Kögeler, J. and Rey, F. (1999). Ocean colour and the spatial and seasonal distribution of phytoplankton in the Barents Sea. *Int. J. Remote Sensing* 20(7): 1303–1318.
- Lindström, U. 2001. Foraging ecology of minke whales (*Balaenoptera acutorostrata*): composition and selection of prey in the northeast Atlantic. PhD thesis, University of Tromsø, Norway
- Loeng, H. 1991. Features of the physical oceanography of the Barents Sea. Pp. 5–18 in Sakshaug, E., Hopkins, C.C.E. and Øritsland, N.A. (eds.) Proceedings of the Pro Mare Symposium on Polar Marine Ecology, Trondheim, 12–16 May 1990. *Polar Res.* 10(1).
- Loeng, H. and Ingvaldsen, R. 2001. Nye trekk ved strømmønnet ut og inn av Barentshavet og effekten på økosystemet. *Fisken og havet særnr. 2–2001 (Havets miljø):* 79–81.
- Loeng, H. and Sætre, R. 2001. Features of the Barents Sea circulation. *Fisken og havet nr. 1–2001*, 40pp.
- Lorentsen, S.-H. 2002. Det nasjonale overvåkingsprogrammet for sjøfugl. Resultater fra hekkesesongen 2001. NINA Oppdragsmelding 726: 1–36.
- Lüning, C. (ed.) 1990. Seaweeds. Their environment, biogeography, and ecophysiology. John Wiley & Sons, Inc., New York, 527 pp.
- Lønne, O.J. 1999. On productivity in ice-covered polar oceans. *NATO ASI Ser.* 156: 209–218.
- Marstrander, L./RA 2002. Konvensjon om beskyttelse av den undersjøiske kulturarv. I: ICOMOS Nytt nr.2-3/2001. ICOMOS Norge februar 2002, pp. 2–5.
- Mehlum, F. (ed.) 1989. Svalbards fugler og pattedyr. Norsk Polarinstittutt: Polarhåndbok no. 3, 139 pp.
- Melle, W. 1998. Reproduction, life cycles, and distributions of *Calanus finmarchicus*, *C. glacialis*, and *C. hyperboreus* in relation to environmental conditions in the Barents Sea. PhD thesis. Department of Fisheries and Marine Biology, University of Bergen, Norway.
- Melle, W., Knutsen, T., Ellertsen, B., Kaartvedt, S. and Noji, T. 1993. Økosystemet i det østlige Norskehavet; sokkel og dyphav. Havforskningsinstituttet, Rapport fra senter for marint miljø 1993 nr. 4: 1–108.
- Melle, W. and Skjoldal, H.R. 1998. Reproduction and development of *Calanus finmarchicus*, *C. glacialis* and *C. hyperboreus* in the Barents Sea. *Mar. Ecol. Prog. Ser.* 169: 211–228.
- Melle, W., Skjoldal, H.R., Hassel, A. and Rey, F. 1987. Reproduction of zooplankton in relation to initiation of the spring phytoplankton bloom in the Barents Sea. *ICES C.M.* 1987/ L: 30, 26 pp.
- Melnikov, I.A. 1997. The Arctic sea ice ecosystem. Gordon and Breach Science Publishers, the Netherlands, 204 pp.
- Moe, K.A., Serigstad, B. and Brude, O.W. 1998. Olje-fisk; en reduksjonistisk tilnærning til skade- og risikoberegninger ved bruk av GIS. Alpha Rapport 1012–98–1. Alpha Miljørådgivning, 26 pp.
- Mortensen, P.B. 2000. *Lophelia pertusa* (Scleractinia) in Norwegian waters. Distribution, growth, and associated fauna. PhD thesis, Department of Fisheries and Marine Biology, University of Bergen, Norway.
- Mortensen, P.B. and Rapp, H.T. 1998. Oxygen- and carbon isotope ratios related to growth line patterns in skeletons of *Lophelia pertusa* (L) (Anthozoa: Scleractinia): Implications for determination of linear extension rates. *Sarsia* 83: 433–446.
- Mumm, N. 1993. Composition and distribution of mesozooplankton in the Nansen Basin, Arctic Ocean, during summer. *Polar Biol.* 13: 451–461.
- Niehoff, B., Klenke, U., Hirche, H.J., Irigoien, X., Head, R. and Harris, R. 1999. A high frequency time series at weathership M, Norwegian Sea, during the 1997 spring bloom: the reproductive biology of *Calanus finmarchicus*. *Mar. Ecol. Prog. Ser.* 176: 81–92.
- Nilssen, K.T., Corkeron, P., Haug, T., Skavberg, N.E. and Lindblom, L. 2002. Registrering av havertunger i Nord-Trøndelag, Nordland og Finnmark i oktober – november 2001. Fiskeriforsknings rapport nr. 5/2002.
- Noji T.T. and Rey F. 1996. Old and new perspectives on zooplankton and vertical particle flux. Keynote address in the session “The North Atlantic Components of Global Programs: Lessons to ICES GLOBEC from WOCE/JGOFS” at the ICES Statutory Meeting, 27 September – 1 October 1996, Reykjavik, Iceland.
- Piepenburg, D., Blackburn, T.H., Vondorrien, C.F., Gutt, J., Hall, P.O.J., Hulth, S., Kendall, M.A., Opalinski, K.W., Rachor, E. and Schmid, M.K. 1995. Partitioning of benthic community respiration in the Arctic (Northwestern Barents Sea). *Mar. Ecol. Prog. Ser.* 118: 199–213.
- Plourde, S. and Runge, J.A. 1993. Reproduction of the planktonic copepod *Calanus finmarchicus* in the lower St. Lawrence estuary: relation to the cycle of phytoplankton production and evidence for a *Calanus* pump. *Mar. Ecol. Prog. Ser.* 102: 217–227.
- Reigstad, M., Wassmann, P., Wexels Riser, C., Øygarden, S. and Rey, F. 2002. Seasonal variations in hydrography, nutrients and suspended biomass in the marginal ice-zone and the central Barents Sea. *J. Mar. Syst.*
- Remmert, H. (ed.) 1980. Arctic animal ecology. Springer-Verlag, Berlin, 250 pp.
- Rey, F. 1991. Photosynthesis-irradiance relationships in natural phytoplankton populations of the Barents Sea. Pp. 105–116 in Sakshaug, E., Hopkins, C.C.E. and Øritsland, N.A. (eds.) Proceedings of the Pro Mare Symposium on Polar Marine Ecology, Trondheim, 12–16 May 1990. *Polar Res.* 10(1).
- Rey, F. 1993. Planteplanktonet og dets primærproduksjon i det nordlige Barentshavet. *Fisken og havet no 10*, 39 pp.
- Rey, F. and Loeng, H. 1985. The Influence of ice and hydrographic conditions on the development of phytoplankton in the Barents Sea. Pp. 49–63 in Gray, J.S. and Christiansen, M.E. (eds.) Marine biology of polar regions and effect of stress on marine organisms. John Wiley & Sons, London, 639 pp.
- Rey, F. and Skjoldal, H.R. 1987. Consumption of silicic acid below the euphotic zone by sedimenting diatom blooms in the Barents Sea. *Mar. Ecol. Prog. Ser.* 36: 307–312.
- Rey, F., Skjoldal, H.R. and Slagstad, D. 1987. Primary production in relation to climatic changes in the Barents Sea. Pp. 29–46 in Loeng, H. (ed.) The effect of oceanographic conditions on distribution and populations dynamics of commercial fish stocks in the Barents Sea. Institute of Marine Research, Bergen, Norway.

- Ridgeway, S.H. and Harrison, R.J. (eds.) 1981a. Handbook of Marine Mammals. Volume 1: The Walrus, Sea Lions, Fur Seals and Sea Otter. Academic Press, London, 235 pp.
- Ridgeway, S.H. and Harrison, R.J. (eds.) 1981b. Handbook of Marine Mammals. Volume 2: Seals. Academic Press, London, 359 pp.
- Ridgeway, S.H. and Harrison, R.J. (eds.) 1985. Handbook of Marine Mammals. Volume 3: The Sirenians and Baleen Whales. Academic Press, London, 362 pp.
- Ridgeway, S.H. and Harrison, R.J. (eds.) 1989. Handbook of Marine Mammals. Volume 4: River Dolphins and the larger Toothed Whales. Academic Press, London, 442 pp.
- Ridgeway, S.H. and Harrison, R.J. (eds.) 1999. Handbook of Marine Mammals. Volume 6: The second book of Dolphins and the Porpoises. Academic Press, London, 486 pp.
- Sakshaug, E., Bjørge, A., Gulliksen, B., Loeng, H. and Mehlum, F. (eds.) 1994a. Økosystem Barentshavet. Norges Allmennvitenskapelige Forskningsråd, Norges Fiskeriforskningsråd, Miljøverndepartementet, 304 pp.
- Sakshaug, E., Bjørge, A., Gulliksen, B., Loeng, H. and Mehlum, F. 1994b. Structure, biomass distribution, and energetics of the pelagic ecosystem in the Barents Sea: A synopsis. *Polar Biol.* 14: 405–411.
- Sakshaug, E., Rey, F. and Slagstad, D. 1995. Wind forcing of marine primary production in the northern atmospheric low-pressure belt. Pp. 15–25 in Skjoldal, H.R., Hopkins, C., Erikstad, K.E. and Leinaas, H.P. (eds.) *Ecology of fjords and coastal waters*. Elsevier, Amsterdam, 623 pp.
- Sakshaug, E. and Slagstad, D. 1992. Sea ice and wind: effects on primary productivity in the Barents Sea. *Atmosphere-Ocean* 30(4): 579–591.
- Sakshaug, E. and Walsh, J. 2000. Marine biology: Biomass, productivity, distributions and their variability in the Barents and Bering Seas. Pp. 163–196 in Nuttall, M. and Callaghan, T. (eds.) *The Arctic: environment, people, policy*. Harwood Academic Publishers, Amsterdam.
- Schweder, T., Haug, H.J., Dimakos, X.K., Langaas, M. and Øien, N. 1997. Abundance estimates of northeastern Atlantic minke whales, estimates from 1989 and 1995. *The International Whaling Commission Report* 47: 453–483.
- Scott, C.L., Falk-Petersen, S., Sargent, J.R., Hop, H., Lønne, O.J. and Poltermann, M. 1999. Lipids and trophic interactions of ice fauna and pelagic zooplankton in the marginal ice zone of the Barents Sea. *Polar Biol.* 21: 65–70.
- Semb-Johansson A. (ed.) 1985. *Verdens dyr. Havets pattedyr*. J.W. Cappelen Forlag as, Oslo, 157 pp.
- Skjoldal, H.R. and Rey, F. 1989. Pelagic production and variability of the Barents Sea ecosystem. Pp. 241–286 in Sherman, K. and Alexander, L. (eds.) *Biomass yields and geography of large marine ecosystems*. AAAS Selected Symposium III, Westview Press, Boulder, Colorado.
- Skjoldal, H.R., Hassel, A., Rey, F. and Loeng, H. 1987. Spring phytoplankton development and zooplankton reproduction in the central Barents Sea in the period 1979–1984. Pp. 59–89 in Loeng, H. (ed.) *The effect of oceanographic conditions on distribution and populations dynamics of commercial fish stocks in the Barents Sea*. Institute of Marine Research, Bergen, Norway.
- Skogen, M.D., Monstad, T. and Svendsen, E. 1999. A possible separation between a northern and southern stock of the northeast Atlantic blue whiting. *Fish. Res.* 41: 119–131.
- Slagstad, D. and Støle-Hansen, K. 1991. Dynamics of plankton growth in the Barents Sea: Model studies. Pp. 173–186 in Sakshaug, E., Hopkins, C.C.E. and Øritsland, N.A. (eds.) *Proceedings of the Pro Mare Symposium on Polar Marine Ecology*, Trondheim, 12–16 May 1990. *Polar Res.* 10(1).
- Smith, W.O. (ed.) 1990. *Polar Oceanography. Part B. Chemistry, Biology, and Geology*. Academic Press, San Diego, 760 pp.
- Stirling, I. and Cleator, H. (eds.) 1981. *Polynyas in the Canadian Arctic*. Canadian Wildlife Service, Occasional Paper no. 45, 73 pp.
- Stonehouse, B. (ed.) 1989. *Polar Ecology*. Blackie and Son Ltd., Glasgow, 222 pp.
- Strann, K.B. and Vader, W. 1988. Registrering av sjøfugl i Barentshavet Syd. AKUP 1985–1988. *Tromsø, Naturvitenskap nr. 63*, 47 pp + 74 maps.
- Sundby, S. 1984. Influence of bottom topography on the circulation at the continental shelf off Northern Norway. *Fisk.dir. Skr. Ser. Havunders.* 17: 501–519.
- Svendsen, E., Fossum, P., Skogen, M.D., Eriksrød, G., Bjørke, H., Nedreaas, K. and Johannesen, A. 1995. Variability of the drift patterns of Spring Spawmed herring larvae and the transport of water along the Norwegian shelf. *ICES C.M.* 1995/Q: 25.
- Systad, G.H. and Bustnes, J.O. 1999. Fordeling av kystnære sjøfugler langs Finnmarkskysten utenom hekketida: Kartlegging ved hjelp av flytelling. NINA Oppdragsmelding 605: 1–66.
- Syvrtsen, E. 1991. Ice algae in the Barents Sea: Types of assemblages, origin, fate and role in the ice-edge phytoplankton bloom. Pp. 277–287 in Sakshaug, E., Hopkins, C.C.E. and Øritsland, N.A. (eds.) *Proceedings of the Pro Mare Symposium on Polar Marine Ecology*, Trondheim, 12–16 May 1990. *Polar Res.* 10(1).
- Theisen, F. (ed.) 1997. Dokumentasjon og vurdering av verneverdier på Bjørnøya. *Norsk Polarinstitutt Meddelelser no. 143*, 96 pp.
- Theisen, F. and Brude, O.W. (eds.) 1998. Evaluering av områdevernet på Svalbard. Representativitet og behov for ytterligere vern. *Norsk Polarinstitutt Meddelelser no. 153*, 143 pp.
- Thingstad, T.F. 1990. (ed.) *Olje i Barentshavets økosystem. En oppsummering av resultater fra Pro Mare med relevans for vurdering av konsekvenser av forskningsprogrammet Oljevirkosomhet i Barentshavet Nord*. AKUP Rapport, 40 pp.
- Toresen, R. (ed.) 2000. *Havets ressurser 2000. Fisken og havet særnrr. 1–2000*, 156 pp.
- Torgersen, T., Kaartvedt, S., Melle, W. and Knutsen, T. 1997. Large scale distribution of acoustical scattering layers at the Norwegian continental shelf and the eastern Norwegian Sea. *Sarsia* 82: 87–96.
- Usachev, P.I. 1961. *Fitoplankton U Severnogo Polyusa (Posboram P.I. Shirshova Na Pervoi Dreifuyshegei Stantsii "Svernnyi Polyus" 1937–1938)*. *Trudy Vsesoyuznogo Hidrobiologicheskogo Obshchestva* 11: 189–208, Akademiya Nauk Sssr.
- Vikebø F. 2000. *Transport av egg og larver fra norsk-arktisk torsk fra gyteområdene i Lofoten*. Master thesis. Geophysical Institute, University of Bergen.
- von Quillfeldt, C. H. 1996. *Ice algae and phytoplankton in North Norwegian and Arctic waters: species composition, succession and distribution*. PhD thesis, University of Tromsø, Norway.
- von Quillfeldt, C.H. Ed. 2002. *Marine verdier i havområdene rundt Svalbard. Oversikt over marine områder i territorialfarvannet og fiskevernsone med behov for vern eller andre forvaltningstiltak*. *Norsk Polarinstitutt Rapportserie no. 118*, 100 pp.
- Wassmann, P., Andreassen, I.J. and Rey, F. 1999. Seasonal variation of nutrients and suspended biomass on a transect across Nordvestbanken, north Norwegian shelf, in 1994. *Sarsia* 84: 199–212.
- Wassmann, P., Peinert, R. and Smetacek, V. 1991. Patterns of production and sedimentation in the boreal and polar Northeast Atlantic. Pp. 209–228 in Sakshaug, E., Hopkins, C.C.E. and Øritsland, N.A. (eds.) *Proceedings of the Pro Mare Symposium on Polar Marine Ecology*, Trondheim, 12–16 May 1990. *Polar Res.* 10(1).
- Wassmann, P., Ratkova, T.N., Andreassen, I.J., Vernet, M., Pedersen, G.

- and Rey, F. 1999. Spring bloom development in the marginal ice zone and the central Barents Sea. *Publicazioni delle Stazione Zoologica di Napoli, Marine Ecology*, 20(3–4): 321–346.
- Weslawski, J.M. 1994. *Gammarus* (Crustacea, Amphipoda) from Svalbard and Franz Josef Land – distribution and density. *Sarsia* 79(2): 145–150.
- Weslawski, J.M., Kwasniewski, S. and Wiktor, J. 1991. Winter in a Svalbard fjord ecosystem. *Arctic* 44(2): 115–123.
- Weslawski, J.M. and Legezynska, J. 1998. Glaciers caused zooplankton mortality? *J. Plankton Res.* 20: 1233–1240.
- Weslawski, J.M., Ryg, M., Smith, T.G. and Øritsland, N.A. 1994a. Diet of ringed seals (*Phoca hispida*) in a fjord of West Svalbard. *Arctic* 47(2): 109–114.
- Weslawski, J.M., Szymelfenig, M., Zajaczkowski, M. and Keck, A. 1999. Influence of salinity and suspended matter on benthos of an Arctic tidal flat. *ICES J. Mar. Sci.* 56 (Suppl.): 194–202.
- Weslawski, J.M., Wiktor, M., Zajaczkowski, M. and Swerpel, S. 1993. Intertidal zone of Svalbard. *Polar Biol.* 13: 73–79.
- Zelikman, E.A. 1958. On gonad maturation and female productivity in species of euphausians abundant in the Barents Sea. *Doklady Biological Sciences (English Translation of Doklady Akademii Nauk SSSR.) Seriya Biologiya* 118: 118–121.
- Zenkevitch, L. 1963. *Biology of seas.* George Allen & Unwin Limited, London, 955 pp.
- Øien, N. 1990. Sighting surveys in the Northeast Atlantic in July 1988: Distribution and abundance of Cetaceans. *International Whaling Commission Report* 40: 499–511.
- Øien, N. 2000. Bestandsforhold og fangst. I *Spekkhogger – staurkval* (Damsgård, B. and Haug, T., eds.) *Ottar – Tidsskrift ved Tromsø Museum* 2,3 –9.
- Øien, N. and Hartvedt, S. 1995. Distribution of a selection of marine mammal species in the northern part of the Barents Sea. I *Conservation value assessment and distribution of selected marine mammals in the northern Barents Sea* (Wiig, Ø. and Isaksen, K. eds.). *Norsk Polarinstitutt Meddelelser* 136: 33–45.
- Ådlandsvik, B. 1998. Modelling advection of herring larvae from post larval observations. Foreløpig rapport. Havforskningsinstituttet. 11pp.
- Ådlandsvik, B. 2000. Modelling transport of eggs and larvae of Greenland halibut in East-Greenland waters. Pages 49-78 in Woll, A.K., Boje, J., Hjørleifsson, E. and Gundersen, A.C. (eds) *Greenland halibut in East Greenland waters. TemaNord 2000: 585.* Nordic Council of Ministers.
- Ådlandsvik, B., Gundersen, A.C., Nedreaas, K.H., Stene, A. and Albert, O.T. 1999. Modelling the advection and diffusion of eggs and larvae of northeast Arctic Greenland halibut. *ICES CM 1999/K: 03.*
- Ådlandsvik, B. and Sundby, S. 1994. Modelling the transport of cod larvae from the Lofoten area. *ICES mar. Sci. Symp.* 198: 379–392.