

Referanser

- Akvaplan-Niva rapport: APN-411.3940. 2007. Miljøundersøkelse Region IX, 2007.
- AMAP 2002. Arctic Pollution 2002: Persistent Organic Pollutants, Heavy Metals, Radioactivity, Human Health, Changing Pathways. Arctic monitoring and Assessment Programme (AMAP), Oslo, Norway: xiii+112 pp.
- AMAP 2004. AMAP Assessment 2002: Persistent Organic Pollutants in the Arctic. Arctic Monitoring and Assessment Programme (AMAP), Oslo, Norway: 309 pp
- Amundsen, I., Brekken, A., Liland, A. 2003. Utslipp av radioaktive stoffer fra Sellafield-anleggene. En gjennomgang av britiske myndigheters regulering av utslippstillatelser. Strålevern Rapport 2003:2. Østerås: Statens strålevern, 2003 (http://www.nrpa.no/dokumentarkiv/Stralevernrapport2_2003.pdf (06.01.06).
- Bossi, R., Riget, F.F., Dietz, R. 2005. Temporal and Spatial Trends of Perfluorinated Compounds in Ringed Seal (*Phoca hispida*) from Greenland. *Environ. Sci. Technol.* 39: 7416-7422.
- Carlsson, L., Erlandsson, B. 1991. Effects of salinity on the uptake of radionuclides by *Fucus vesiculosus* L. *Journal of Environmental Radioactivity* 13: 309-322.
- Andersen, J.R., Bratteli, J.L., Fjeld, E., Faafeng, B., Grande, M., Hem, L., Holtan, H., Krogh, T., Lund, V., Rosland, D., Roseland, B.O., Aanes, K.J. 1997. Klassifisering av miljøkvalitet i ferskvann 4: 1-31.
- Bakke, T., Boitsov, S., Brevik, E.M., Gabrielsen, G.W., Green, N., Ruus, A., Helgason, L.B., Klungsoyr, J., Leknes, H., Miljeteig, C., Måge, A., Rolfnes, B.E., Savinova, T., Schlabach, M., Skaare, B.B., Valdernesnes, S. 2008. Mapping selected organic contaminants in the Barents Sea 2007. Norwegian Pollution Control Authority (SFT), SPFO-report no. 1021/2008 (TA-2400/2008). NIVA report 5589:137pp.
- Berg, T., Aspö, K., Steinnes, E. 2008. Transport of Hg from Atmospheric mercury depletion events to the mainland of Norway and its possible influence on Hg deposition, *Geophys. Res. Lett.* 35, L09802, doi:10.1029/2008GL033586.
- de Wit, C.A., Fisk, A., Hobbs, K., Muir, D., Gabrielsen, G.W., Kallenborn, R., Krahn, M., Norstrom, R., Skaare, J. 2003. Persistent Organic Pollutants. I: AMAP II Assessment Report. Arctic Pollution Issues, Arctic Monitoring and Assessment Program. S.J. Wilson, J.L. Murray, H.P. Huntington (Red), Oslo, Norway. 310 pp.
- Espeland, O., Kleivane, L., Haugen, S., Skaare, J.U. 1997. Organochlorines in mother and pup pairs in two arctic seal species: harp seal (*Phoca groenlandica*) and hooded seal (*Cystophora cristata*). *Mar. Environ. Res.* 44: 315-330.
- Gabrielsen G.W. 2007. Levels and effects of persistent organic pollutants in arctic animals. I: Arctic-Alpine Ecosystems and People in a Changing Environment. J.B. Orbaek, R. Kallenborn, I. Tombre, E.N. Hegseth, S. Falk-Petersen, A.H. Hoel. (Red), Springer Verlag, Berlin. 377-412.
- Gabrielsen, G.W., Sydnes, L.K. 2009. Pollution in the Barents Sea. I: Ecosystem Barents Sea. Sakshaug, E., Johnsen, G. & Kovacs, K. (Red). Tapir Academic Press
- Green, N.W., Ruus, A., Bjerkeng, B., Brevik, E.M., Håvardstun, J., Mills, A., Rogne, Å.G., Schøyen, M., Tveiten, L., Øxnevad, S. 2008. Coordinated Environmental Monitoring Programme (CEMP). Levels, trends and effects of hazardous substances in fjords and coastal waters 109 - 2007. Norwegian Pollution Control Authority, Monitoring report no. 1017/2008 TA no. 2454/2008. Norwegian Institute for Water Research, report number 5694-2008: 213 pp. ISBN nummer 978- 82-577-5429-7.
- Helgason, L.B., Barrett, R., Lie, E., Polder, A., Skaare, J.U., Gabrielsen, G.W. 2008. Levels and temporal trends (1983-2003) of persistent organic pollutants (POPs) and mercury (Hg) in seabird eggs from Northern Norway. *Environmental Pollution* 155: 190- 198. doi:10.1016/j.envpol.2007.10.022.
- Hobbs, K.E., Muir, D.C.G., Born, E.W., Dietz, R., Haug, T., Metcalfe, T., Metcalfe, C., Øien, N. 2003. Levels and patterns of persistent organochlorine in minke whale (*Balaenoptera acutorostrata*) stocks from the North Atlantic and European Arctic. *Environ. Poll.* 121: 239-252.
- Holm, Ø. 2007. Klorerte organiske miljøgifter (PCB, DDT, Klordan, HCH og HCB) i vågehval (*Balaenoptera acutorostrata*) fra Nord-Norge og Svalbard. Masteroppgave, Norges fiskerihøgskole, Universitetet i Tromsø. 84 pp.
- Houde, M., Martin, J.W., Letcher, R.J., Solomon, K.R., Muir, D.M. 2006. Biological monitoring of polyfluoroalkyl substances: a review. *Environmental Science and Technology* 40: 3463-3473.
- Kleivane, L., Espeland, O., Ugland, K.I., Skaare, J.U. 1995. Seasonal variation in organochlorine concentrations in harp seal (*Phoca groenlandica*). I: Whales, seals, fish, and man. A.S. Blix, L. Walløe, Ø. Ulltang (Red). Elsevier Science B.V.: 599-605.
- Kleivane, L., Severinsen, T., Skaare, J.U. 2000. Biological transport and mammal to mammal transfer of organochlorines in Arctic fauna. *Mar. Environ. Res.* 49: 343-357.
- Kleivane, L., Skaare, J.U. 1998. Organochlorine contaminants in northeast Atlantic minke whales (*Balaenoptera acutorostrata*). *Environ. Poll.* 101: 231-239.
- Knies J., Jensen H.K.B., Finne T.E., Lepland A., Sæther O.M. 2006. Sediment composition and heavy metal distribution in Barents Sea surface samples: Results from Institute of Marine Research 2003 and 2004 cruises. NGU-report no. 2006.067: 1-35.
- Kovacs, K.M., Haug, T., Lydersen, C. 2009. Marine mammals. I: Ecosystem Barents Sea. E. Sakshaug, G. Johnsen, and K.M. Kovacs (Red). Tapir Academic Press.
- Lindström, U., Smout, S., Howell, D., Bogstad, B. 2009. Modelling multi-species interactions in the Barents Sea ecosystem with special emphasis on minke whales and their interactions with cod, herring and capelin. *Deep-Sea Research II*, doi:10.1016/j.dsr2.2008.11.017
- Molvær, J., Knutzen, J., Magnusson, J., Rygg, B., Skei J., Sørensen, J. 1997. Classification of environmental quality in fjords and coastal waters. A guide. Norwegian Pollution Control Authority, TA no. TA-1467/1997: 36 pp.
- Muir, D.C.G., Backus, S., Derocher, A. E., Dietz, R., Evans, T.J., Gabrielsen, G.W., Nagy, J., Norstrom, R.J., Sonne, C., Stirling, I., Taylor, M.K., Letcher, R.J. 2006. Brominated flame retardants in Polar bears (*Ursus maritimus*) from Alaska, the Canadian Arctic, East Greenland, and Svalbard. *ES & T*, 40: 449-455.
- Nilssen, K.T., Haug, T., Grotnes, P.E., Potelov, V.A. 1997. Seasonal variation in body condition of adult Barents Sea harp seals (*Phoca groenlandica*). *J. Northw. Atl. Fish. Sci.* 22: 17-25.
- Næss, A., Haug, T., Nilssen, E.M. 1998. Seasonal variation in body condition and muscular lipid contents in northeast Atlantic minke whales *Balaenoptera acutorostrata*. *Sarsia* 83: 211-218.

- Reijnders, P.J.H., Aguilar, A. 2002. Pollution and marine mammals. I: Encyclopedia of marine mammals. W.F. Perrin, B. Würsig and J.G.M. Thewissen (Red). Acad. Press, San Diego. 948-957. Rigét, F., Dietz, R., Born, E.W., Sonne, C., Hobson, K.A. 2006. Temporal trends of mercury in marine biota of west and northwest Greenland. *Mar. Pollut. Bull.* 54: 72-80.
- Rigét, F., Vikelsøe, J., Dietz, R. 2005. Levels and temporal trends of PCDD/PCDFs and non-ortho PCBs in ringed seals from East Greenland. *Mar. Pollut. Bull.* 50: 1523-1529.
- Shi, L., Green, N., Rogne, Å. 2008. Joint Assessment and Monitoring Programme (JAMP). Contaminant and effects data for sediments, shellfish and fish 1981-2006. Norwegian Pollution Control Authority, Monitoring report no. 1015/2008 TA no. 2369/2008. NIVA projects 80106, 25106, 26106, 27106, report number 5562-2008): 8 pp. + 12 appendices. ISBN number 978-82-577-5297-2.
- Skaare, J.U. 1995. Organochlorine contaminants in marine mammals from the Norwegian Arctic. I: Whales, seals, fish, and man. A.S. Blix, L. Walløe, Ø. Ulltang (Red). Elsevier Science B.V., Amsterdam. 589-598.
- Smithwick, M., Muir D.C.G., Mabury, S.A., Solomon, K., Sonne, C., Martin, J.W., Born, E.W., Ditz, R., Derocher, A.E., Evans, T., Gabrielsen, G.W., Nagy, J., Stirling, I., Taylor, M.K. 2005. Circumpolar study of perfluoroalkyl contaminants in polar bears (*Ursus maritimus*). *Environmental Science and Technology* 39: 5517-5523.
- Statens forurensningstilsyn 2007. Veileder for klassifisering av miljøkvalitet i fjorder og kystvann. Revidering av klassifisering av metaller og organiske miljøgifter i vann og sediment, TA-2229/2007: 10pp.
- Sørmo, E.G., Salmer, M.P., Jenssen, B.M., Jenssen, B.M., Hop, H., Bæk, K., Kovacs, K.M., Lydersen, C., Falk-Petersen, S., Gabrielsen, G.W., Lie, E., Skaare, J.U. 2006. Biomagnification of polybrominated diphenyl ether and hexabromocyclododecane flame retardants in the polar bear food chain in Svalbard, Norway. *Environmental Toxicology and Chemistry* 25: 2502-2511.
- Verreault, J., Gabrielsen, G.W. 2006. Contaminants in Polar Bears: Temporal and Geographical Trends. Dokument utarbeidet for Miljøovervåkingssystem for Svalbard og Jan Mayen (MOSJ). Norsk Polarinstitutt, mosj.npolar.no.
- Verrault, J., Muir, D.C.G., Norstrom, R.J., Fisk, A.T., Lunn, N.F., Stirling, I., Gabrielsen, G.W., Derocher, A.E., Sandala, G.M., Gebbink, W., Braune, B., Wakeford, B., Taylor, M., Nagy, J., Branigan, M., Obbard, M., Letcher, R.J. 2005. Chlorinated hydrocarbon contaminants and metabolites in polar bears (*Ursus maritimus*) from Alaska, Canada, East Greenland, and Svalbard: 1996-2002. *Sci. Total. Environ.* 351-352; 369-390.
- Wolkers, J., Burkow, I.C., Lydersen, C., Witkamp, R. F. 2000. Chlorinated pesticide concentrations, with an emphasis on polychlorinated camphenes (toxaphenes), in relation to cytochrome P450 enzyme activities in harp seals (*Phoca groenlandica*) from the Barents Sea. *Sci. Environ. Toxicol. Chem.* 19: 1632-1637.
- Wolkers, H., van Bavel, B., Derocher, A.E., Wigg, Ø., Kovacs, K.M., Lydersen, C., Lindström, G. 2004. Congener-specific accumulation and food chain transfer of polybrominated diphenyl ethers in two arctic food chains. *Environmental Science and Technology* 38: 1667-1674.
- Wolkers, H., Krafft, B.A., van Bavel, B., Helgason, L.B., Lydersen, C., Kovacs, K.M. 2008. Biomarker responses and decreasing contaminant levels in ringed seals (*Pusa hispida*) from Svalbard, Norway. *Journal of Toxicology and Environmental Health-Part A-Current Issues* 71: 1009-1018.
- Boitsov, S., Jensen, H.K.B., Klungsoyr, J. 2009a. Natural background and anthropogenic inputs of polycyclic aromatic hydrocarbons (PAH) in sediments of South-Western Barents Sea". *Mar. Env. Res.*, 68, 236-245.
- Boitsov, S., Jensen, H.K.B., Klungsoyr, J. 2009b. Geographical variations in hydrocarbon levels in sediments from the Western Barents Sea. *Norw. J. Geol.*, 89, 91-100
- Det Norske Veritas rapport: 2009-0157. Grunnlagsundersøkelser i Region IX og X -Barentshavet, 2008.
- Gobeil, C., Clermont, Y., Paquette. 1997. Concentrations en mercure, plomb et cadmium chez diverses espèces de poissons de fond, de poissons pélagiques et de crustacés de l'estuaire et du golfe du Saint-Laurent et du fjord du Saguenay. Canadian Data Report of Fisheries and Aquatic Sciences 1011. 83 s.
- Heldal et al., 2003. "Bioaccumulation of Cs-137 in pelagic food webs in the Norwegian and Barents Seas" *Journal of Environmental Radioactivity*, 65 (2) 177-185.
- Jensen H. K. B., Knies J., Finne T. E. og Thorsnes T., 2007. Mareano 2006 - miljøgeokjemiske resultater fra Tromsøflaket, Ingøydjupet, Lopphavet og Sørøysundet. NGU-rapport nr. 2007.059: 249 pp (inkl. bilag).
- Jensen H. K. B., Knies J., Finne T. E. og Thorsnes T., 2008. Mareano 2007 - miljøgeokjemiske resultater fra Troms II og Troms III. NGU-rapport nr. 2008.077: 29 pp (inkl. CD med analysedata).
- Jensen H. K. B., Knies J., Finne T. E. og Thorsnes T., 2009. Mareano 2008 - miljøgeokjemiske resultater fra Nordland VII. NGU-rapport nr. 2009.057, (under utarbeidelse).
- Letcher R.J., Bustnes J.O., Dietz R., Jensen B.M., Jørgensen E.H., Sonne C., Verreault J., Vijayan M.M., Gabrielsen G.W. In press. Exposure and effects assessment of persistent organohalogen contaminants in arctic wildlife and fish. *Science of The Total Environment*: doi:10.1016/j.scitotenv.2009.10.038.
- Magnus et al. 2006. Magnus Andersen, Justin P. Gwynn, Mark Dowdall, Kit M. Kovacs, Christian Lydersen. Radiocesium (¹³⁷Cs) in marine mammals from Svalbard and the North Greenland Sea. *Science of the Total Environment* 363 (2006) 87-94.
- Miljeteig C., Gabrielsen G.W. In press. Contaminants in Brünnich's guillemots from Kongsfjorden and Bjørnøya in the period from 1993 to 2007. Kortrapport Norsk Polarinstitutt.
- Routti H., Letcher R.J., Arukwe A., van Bavel B., Yoccoz N.G., Chu S.G., Gabrielsen G.W. 2008. Biotransformation of PCBs in Relation to Phase I and II Xenobiotic-Metabolizing Enzyme Activities in Ringed Seals (*Phoca hispida*) from Svalbard and the Baltic Sea. *Environmental Science & Technology* 42: 8952-8958.
- Routti H., Letcher R.J., Chu S.G., Van Bavel B., Gabrielsen G.W. 2009a. Polybrominated Diphenyl Ethers and Their Hydroxylated Analogues in Ringed Seals (*Phoca hispida*) from Svalbard and the Baltic Sea. *Environmental Science & Technology* 43: 3494-3499.
- Routti H., van Bavel B., Letcher R.J., Arukwe A., Chu S.G., Gabrielsen G.W. 2009b. Concentrations, patterns and metabolites of organochlorine pesticides in relation to xenobiotic phase I and II enzyme activities in ringed seals (*Phoca hispida*) from Svalbard and the Baltic Sea. *Environmental Pollution* 157: 2428-2434.

Routti H., Arukwe A., Jenssen B.M., Letcher R.J., Nyman M., Bäckman C., Gabrielsen G.W. Submitted. Comparative endocrine disruptive effects of contaminants in ringed seals (*Phoca hispida*) from Svalbard and the Baltic Sea.

Skarbøvik, E., Stålnacke, P.G., Kaste, Ø., Selvik, J.R., Tjomsland, T., Høgåsen, T., Pengerud, A., Aakerøy, P.A., Fjeld, E., Beldring, S. 2008. Riverine inputs and direct discharges to Norwegian coastal waters – 2008. SFT-rapport nr TA-2569/2009: 209 pp.

Skjelkvåle, B.L. (Red) 2009. Overvåking av langtransportert forurenset luft og nedbør. Årsrapport – Effekter 2008. SFT-rapport nr. TA-2546/2009: 165pp.

NRPA 2009. Radioactivity in the Marine Environment 2007. Results from the Norwegian National Monitoring Programme (RAME). StrålevernRapport 2009:15.

NRPA 2007. Radioactivity in the Marine Environment 2005. Results from the Norwegian National Monitoring Programme (RAME). StrålevernRapport 2007:10.

Zauke, G.-P. og Schmalenbach, I. 2006. Heavy metals and decapod crustaceans from the Barents Sea. *Science of the Total Environment* 359: 283-294.

Aas W., Solberg, S., Manø, S., Yttri, K.E. 2009. Overvåking av langtransportert forurenset luft og nedbør. Atmosfærisk tilførsel, 2008. SFT-rapport, TA- 2522/2009: 191 pp.

